

## CLAIM AMENDMENTS:

### 1 - 16 (Cancel)

**17. (Currently Amended)** A multipack-lip cosmetic comprising ~~at least two separate receptacles in a single stock keeping unit, said first receptacle containing for use in combination with~~ an anhydrous pigmented transfer resistant, ~~composition comprising a film forming, cross-linked resinous silicone, a volatile solvent, and pigment, composition~~ and ~~said second receptacle containing comprising a~~ non reactive wetting agent overcoat composition for said transfer resistant composition, said wetting agent overcoat composition comprising a wetting agent that is non-reactive with, but having affinitive affinity to, the transfer resistant composition, said wetting agent being a liquid polymeric hydrocarbon having a number average molecular weight greater than 650~~liquid polymeric hydrocarbon having a number average molecular weight greater than about 650, wherein said wetting agent overcoat composition is devoid of non-volatile silicone oils, and wherein the wetting agent overcoat composition flows smoothly over the anhydrous pigmented transfer resistant composition.~~

### 18 - 37 (Cancel)

**38. (Currently Amended)** The ~~multipack-lip~~ cosmetic of claim 17 wherein the wetting agent ~~overcoat composition is a liquid at 25° C.~~

**39. (Currently Amended)** The ~~multipack-lip~~ cosmetic of claim 17 wherein the wetting agent ~~overcoat composition is a semi-solid at 25° C.~~

**40. (Currently Amended)** The ~~multipack-lip~~ cosmetic of claim 17 wherein the wetting agent ~~overcoat composition is a solid at 25° C.~~

**41. (Currently Amended)** The ~~multipack-lip~~ cosmetic of claim 17 wherein the wetting agent ~~overcoat composition additionally comprises one or more waxes having a melting point ranging from about 30 to 150° C.~~

**42 - 55 (Cancel)**

**56. (Currently Amended)** The ~~multipack-lip~~ cosmetic of claim 17 wherein the liquid polymeric hydrocarbon is polybutene.

**57. (Currently Amended)** The ~~multipack-lip~~ cosmetic of claim 56 wherein the polybutene has a number average molecular weight in the range of 700 to 940.

**58. (Currently Amended)** The ~~multipack-lip~~ cosmetic of claim 17 wherein the liquid polymeric hydrocarbon is hydrogenated polydecene.

**59. (Currently Amended)** The ~~multipack-lip~~ cosmetic of claim 58 wherein the hydrogenated polydecene has a number average molecular weight in the range of 2,900 to 5,100.

**60. (Currently Amended)** The ~~multipack-lip~~ cosmetic of claim 17 wherein the transfer resistant composition also comprises a viscosity increasing amount of one or more metal silicate thickening agents.

**61. (Currently Amended)** The ~~multipack-lip~~ cosmetic of claim 60 wherein one or more metal silicate thickening agents comprise a quaternized montmorillonite mineral.

**62. (Currently Amended)** The ~~multipack-lip~~ cosmetic of claim 61 wherein the montmorillonite mineral is hectorite.

**63. (Currently Amended)** The ~~multipack-lip~~ cosmetic of claim 62 wherein the total amount of the metal silicate thickening agent in the transfer resistant composition is 1-15%, based on the total weight of the composition.

**64. (Currently Amended)** The ~~multipack-lip~~ cosmetic of claim 63 wherein the metal silicate thickening agent in the transfer resistant composition is 1-10%, based on the total weight of the composition.

**65. (Currently Amended)** The ~~multipack~~lip cosmetic of claim 64 wherein the one or more metal silicate thickening agent comprise quaternium-18 hectorite.

**66 – 78 (Cancel)**